

PATENT  
Attorney Docket 814-067.037-1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Application of

Gustaf T. Appelberg et al.

Serial No. 09/852,676

Filed May 10, 2001

Title: **DISTRIBUTED EMERGENCY LIGHTING SYSTEM HAVING  
SELF-TESTING AND DIAGNOSTIC CAPABILITIES**

Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Examiner Vo, Tuyet Thi

Group Art Unit 2821

**REQUESTED CORRECTION AND RESTART OF RESPONSE PERIOD**

Examiner Vo:

Per our telephone conversation today, please provide the missing Herzog reference U.S. Patent No. 3,869,639 and issue a PTO-892 form for this case. Applicants request the statutory response period be restarted in view of the missing reference.

I hereby certify that this paper is being transmitted via facsimile to  
Examiner Vo, U.S. Patent and Trademark Office at facsimile number  
703-746-4058 on the date shown below.


Ann Okrentowich 7/31/03  
Ann Okrentowich Date

Here!  
restart  
7/31/03  
WBM

Serial No. 09/852,676

Respectfully submitted,

Date: July 31, 2003

  
Jack M. Pasquale  
Attorney for Applicants  
Registration No. 31,052

WARE, FRESSOLA, VAN DER SLUYS  
& ADOLPHSON LLP  
Bradford Green, Building Five  
755 Main Street, P.O. Box 224  
Monroe, CT 06468  
Telephone (203) 261-1234  
Facsimile (203) 261-5676